# 377 Nitrile Foam Grip





RECOMMENDED FOR THESE RISKS: Grip Light assembly RECOMMENDED FOR THESE LINES OF WORK:

Construction

Maritime sector

Petrochemical

## Polyester/nylon knit Nitrile foam coating on nitrile

#### DESCRIPTION

- Fully coated, extra coating on palm
- · Reinforced knit cuff, scalloped edge
- Standard finish
- Without special treatment
- Anatomical shape
- Seamless knit

#### BENEFITS

- A flexible, robust glove offering great dexterity and with good resistance to tearing
- · Glove stays correctly adjusted
- Protects the hand from oils, hydrocarbons, grease and abrasion, with optimal long lasting grip
- Impermeable for working in damp or greasy environments, with increased resistance to abrasion for better durability
- Minimal allergy risks
- · Designed for easy movement and continuous wear
- No irritation by seams in contact with the skin
- Wrist well protected

AVAILABLE SIZES	6/S • 7/M • 8/L • 9/XL • 10/XXL
LENGTH Dependent on size, in mm (flat)	250-280
PACKAGING Pairs per pack/box	10/120
COLOUR OF SUPPORT/COATING	White/blue/black

#### **RECOMMENDATIONS FOR USE**

- · Do not use in cases of chemical, electrical or thermal risk
- Store away from light and humidity
- Wash at 40
- Performance levels as per standard EN388 retained after 3 washes, subject to variations linked to actual usage conditions.



TEARING PUNCTURE 0 1 <u>2</u> 3 4 0 <u>1</u> 2 3 4

ABRASION CUTTING 01234 012345

[Updated 13/10/11]

EC compliance certificate delivered by the notified body 0072 IFTH - Institut Français du Textile et de l'Habillement Avenue Guy de Collongue - 69134 Ecully Cedex - France

### SHOWA BEST GLOVE

Tour Franklin - La Défense 8 - 92042 Paris La Défense Cedex - France Tel. +33 (0)1 55 62 14 20 - Fax +33 (0)1 55 62 14 29 info@showabestglove.eu - www.showabestglove.eu

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.

