


Light Source Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.1883$ $y=0.2068$
 Chromaticity Coordinate: $u'=0.1476$ $v'=0.3645$ ($duv=4.02e-02$)
 Tc=100000K Dominant WL:Ld=479.3nm Purity=60.7% Centroid WL:478.0nm
 Ratio:R=11.5% G=72.3% B=16.3% Peak WL:Lp=461.0nm HWL:21.8nm
 Render Index:Ra=70.8
 R1 =79 R2 =71 R3 =64 R4 =65 R5 =83 R6 =66 R7 =67
 R8 =71 R9 =-14 R10=35 R11=47 R12=65 R13=62 R14=79 R15=69

Photo Parameters:

Flux: 113.94 lm Fe: 0.57867 W Efficacy:19.00 lm/W

Electrical Parameters:

Lamp : U=12.00V I=0.4997A P=5.996W PF=1.000

Instrument Status:

Scan Range:380.0nm-800.0nm Interval:1.0nm[0] Ip=17778 (G=4,D=64)
 REF=2905 (R=4) %=-0.178% PMT: 37.1 centigrade [37.6]

Product Type:LB12M210RGBN
 Number:00121
 Temperature:25.3 deg
 Test Operator:Yanbai Wei
 Software:V2.00.121

Manufacturer:Bin: FC2
 Test Department:Ninbo WuTai Electronic Technolog
 Humidity:65.0%
 Test Date:2020-08-25 13:05:42
 Instrument:PMS-80_V1 (SN:1007081aaa)