Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light

sources	PELEGATED REGUL	ATION (EU) 2019/2	.015 with regard to ener	gy labelling of light
Supplier's name	e or trade mark:	Velleman		
Supplier's addre	ess: public info, L	egen Heirweg 33, 9	9890 Gavere, BE	
Model identifie	r: LS24M230NW	1		
Type of light so	urce:			
Lighting technology used:		LED	Non-directional or directional:	NDLS
Light source cap-type		NA		
(or other electric interface)				
Mains or non-mains:		NMLS	Connected light source (CLS):	No
Colour-tuneable light source:		No	Envelope:	-
High luminance light source:		No		
Anti-glare shield:		No	Dimmable:	No
		Product para	T	T
Parameter		Value	Parameter	Value
		General product	T	T
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		8	Energy efficiency class	F
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		781 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000
On-mode power (P _{on}), expressed in W		7,6	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	86
Outer dimensions without separate control gear, lighting control	Height Width Depth	3 10 500	Spectral power distribution in the range 250 nm to 800 nm, at full-load	See image in last page

parts and non- lighting con- trol parts, if any (millime- tre)							
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-				
		Chromaticity coordi-	0,372				
		nates (x and y)	0,370				
Parameters for LED and OLED light sources:							
R9 colour rendering index value	43	Survival factor	1,00				
the lumen maintenance factor	0,99						

(a)'-': not applicable; (b)'-': not applicable;

